



TOP ELECTRONIC INDUSTRY CO., LTD.


www.topecind.com

GSM Antenna

TOP-GSM01-1



DIMENSIONS



Unit: mm

TOP ELECTRONIC INDUSTRY CO.,LTD

Rm407 27th Bldg,Nanhua Zone,Huaqiangnan,Futian Dist,SZ,GD,China

Tel:+86-755-8281 5110 Fax:+86-755-8281 5220

Web: www.topecind.com




TOP ELECTRONIC INDUSTRY CO., LTD.

www.topecind.com

SPECIFICATIONS

Item		Specifications
Antenna	Frequency Range	824~960/1710~2170MHz
	Polarization	Linear
	Gain	2.0dBi-2.5dBi (Zenith)
	V.S.W.R	<2.0
	Impedance	50 Ω
Mechanical	Cable	RG174--3M
	Connector	SMA
	Mounting Method	Magnet
Environmental	Operating Temperature	-40°C~+85°C
	Vibration	10 to 55Hz with 1.5mm amplitude 2hours
	Environmentally Friendly	ROHS Compliant

Radiation Pattern



TOP ELECTRONIC INDUSTRY CO.,LTD

Rm407 27th Bldg,Nanhua Zone,Huaqiannan,Futian Dist,SZ,GD,China


Tel:+86-755-8281 5110 Fax:+86-755-8281 5220

Web: www.topecind.com



TOP ELECTRONIC INDUSTRY CO., LTD.

www.topecind.com



TOP ELECTRONIC INDUSTRY CO.,LTD

Rm407 27th Bldg,Nanhua Zone,Huaqiangnan,Futian Dist,SZ,GD,China

Tel:+86-755-8281 5110 Fax:+86-755-8281 5220

Web: www.topecind.com